





Product Service

# CERTIFICATE

No. B 057396 0520 Rev. 00

**Model(s):**

ALM120PSXX-ZZ##V (where XX can be 12, 15, 19 or 24 designating output voltage and -ZZ can be blank or "-A", "-6", "-6A" designating AC inlet type, and V can be any alphanumeric or blank designating casing colour). Models may have an additional ## identifier which can be any alphanumeric or blank designating marketing purposes only.

**Brand Name:**

**XP Power**



**Parameters:**

Input Rated: 100-240 Vac, 50/60 Hz, 1.4 A  
Output Rated:  
ALM120PS12: 12 Vdc, 10 A max., 120 W max.;  
ALM120PS15: 15 Vdc, 8 A max., 120 W max.;  
ALM120PS19: 19 Vdc, 6.32 A max., 120 W max.;  
ALM120PS24: 24 Vdc, 5 A max., 120 W max.

**Conditions of Acceptability:**

- a) The output was not evaluated as patient connected circuits.
- b) Compliance with the requirements for EMC shall be evaluated for the end use product.
- c) These products have been investigated only as a component part for use in equipment where the suitability of the combination is subject to end product investigation.
- d) The leakage current test shall be checked in end product.
- e) Clearance/creepage distance and dielectric strength were evaluated and fulfilled the requirements for MOPP.
- f) When the product is placed on the market, it must be accompanied with safety instructions written in official language of the country. The instructions shall give information regarding safe operation, installation and maintenance.
- g) According to the EU directives which have been aligned with EU NLF (new legislative framework), both of manufacturer and importer's name and address shall be affixed on the product or, where that is not possible, on its packaging or in a document accompanying the product before the product is placed on the EU market.
- h) The manufacturer/ Importer has to ensure the appliance placing on the EU market conforms to the applicable EU directives which provide the affixing of the CE marking, such as LVD, EMC, RoHS, ErP and so on.
- i) When installing the equipment, all requirements of the mentioned standard must be fulfilled.
- j) See also Engineering Conditions of Acceptability in UL CB Report No.: E146893-D1020-1/A1/C0-CB.

**Tested according to:** EN 60601-1:2006/A12:2014

**Production**

059061, 059319, 071712, 089850

**Facility(ies):**

TÜV SÜD  
ZERTIFIKAT ♦ CERTIFICATE ♦ 認證書 ♦ CERTIFICADO ♦ CERTIFICAT



