

CERTIFICATE OF COMPLIANCE

Certificate Number 20190514-E317867
Report Reference E317867-20180828
Issue Date 2019-MAY-14

Issued to: XP POWER L L C
15641 RED HILL AVE, SUITE 100
TUSTIN, CA 92780 USA

**This is to certify that
representative samples of**

POWER SUPPLIES FOR USE WITH AUDIO/VIDEO,
INFORMATION AND COMMUNICATION TECHNOLOGY
EQUIPMENT

See Addendum Page for Models

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62368-1 and CSA C22.2 No. 62368-1-14 - Audio/video,
Information and Communication Technology Equipment -
Part 1: Safety Requirements

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE


Certificate Number 20190514-E317867
Report Reference E317867-20180828
Issue Date 2019-MAY-14

Switching Power Adaptor - AKM45US50C18YYYYYYYY (^), AKM45US501C18YYYYYYYY (^), AKM45US502C18YYYYYYYY (^), AKM45US503C18YYYYYYYY (^), AKM45US504C18YYYYYYYY (^), AKM45US505C18YYYYYYYY (^), AKM45US506C18YYYYYYYY (^), AKM45US507C18YYYYYYYY (^), AKM45US508C18YYYYYYYY (^), AKM45US509C18YYYYYYYY (^), AKM45US51C18YYYYYYYY (^), AKM45US511C18YYYYYYYY (^), AKM45US512C18YYYYYYYY (^), AKM45US513C18YYYYYYYY (^), AKM45US514C18YYYYYYYY (^), AKM45US515C18YYYYYYYY (^), AKM45US516C18YYYYYYYY (^), AKM45US517C18YYYYYYYY (^), AKM45US518C18YYYYYYYY (^), AKM45US519C18YYYYYYYY (^), AKM45US52C18YYYYYYYY (^), AKM45US521C18YYYYYYYY (^), AKM45US522C18YYYYYYYY (^), AKM45US523C18YYYYYYYY (^), AKM45US524C18YYYYYYYY (^), AKM45US525C18YYYYYYYY (^), AKM45US526C18YYYYYYYY (^), AKM45US527C18YYYYYYYY (^), AKM45US528C18YYYYYYYY (^), AKM45US529C18YYYYYYYY (^), AKM45US53C18YYYYYYYY (^), AKM45US531C18YYYYYYYY (^), AKM45US532C18YYYYYYYY (^), AKM45US533C18YYYYYYYY (^), AKM45US534C18YYYYYYYY (^), AKM45US535C18YYYYYYYY (^), AKM45US536C18YYYYYYYY (^), AKM45US537C18YYYYYYYY (^), AKM45US538C18YYYYYYYY (^), AKM45US539C18YYYYYYYY (^), AKM45US54C18YYYYYYYY (^), VEP36US09-XY(%), VEP36US10-XY(%), VEP36US11-XY(%), VEP36US12-XY(%), VEP36US13-XY(%), VEP36US14-XY(%), VEP36US15-XY(%), VEP36US16-XY(%), VEP36US17-XY(%), VEP36US18-XY(%), VEP36US19-XY(%), VEP36US20-XY(%), VEP36US21-XY(%), VEP36US22-XY(%), VEP36US23-XY(%), VEP36US24-XY(%), **ACM36USXXXXYYYYYYYY** (b), AKM36USXXXC2YYYYYYYY (b)

(%)-Where "XY" = 0-9, A-Z, '-' or blank, only for marking purposes, no safety impact.

(^) - "Y" = 0-9, A-Z, '-' or blank, only for marking purposes, no safety impact.

(b) - Where "XXX" = 090-360, and the last digit can be blank if the value is '0', is 3 digit number which represents the output voltage in Volt dividing by 10 in step of 0.1V, for example, 09 represents the output voltage is 9.0 V, 36 represents the output voltage is 36.0V; "Y" = 0-9, A-Z, '-' or blank, only for marking purposes, no safety impact.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

