

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE**CERTIFICAT D'ESSAI OC**

Product
Produit

Power Supply

Name and address of the applicant
Nom et adresse du demandeur

XP POWER L L C
15641 RED HILL A VE, SUITE 100, TUSTIN, CA 92780
USA

Name and address of the manufacturer
Nom et adresse du fabricant

XP POWER L L C
15641 RED HILL A VE, SUITE 100, TUSTIN, CA 92780
USA

Name and address of the factory
Nom et adresse de l'usine

Floor 1-4, Building 22, Enterprise Road,
Longsheng Industrial area, Longsheng community, Dalang
Street, Baoan District, Shenzhen City 518109,
P.R. China

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{ème} page

Additional Information on page 2

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

See Page 2

Trademark (if any)
Marque de fabrique (si elle existe)



Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais
constructeur

Model / Type Ref.
Ref. De type

HCP650PSx, where x can be 05, 12, 15, 24, 27 and 48 "x"
denotes output voltage.

Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,,
peuvent être indiqués sur la 2^{ème} page

Additional Information on page 2

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

1508021-7-CB issued on 2016-01-06

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2016-01-08

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-51128-UL

Factories:

No. 33, Sec. 2, Renhe Rd., Daxi Township, Taoyuan County 33548
Taiwan

Building 120-121, Arising Sun Industrial City, No.11&13, Xinan Road, Lin Village, Tangxia Town, Dongguan
City, Guangdong Province,
China

Ratings:

Input Rating: 100 - 240 Vac, 50/60 Hz, 7.5 A

Output Rating:

Model	Output V	Output A
HCP650PS05	5	100
HCP650PS12	12	50
HCP650PS15	15	40
HCP650PS24	24	27
HCP650PS27	27	24
HCP650PS48	48	13.6

Additional Information:

Additionally evaluated to EN 60950-1:2006/A11:2009/A1:2010/A12:2011/A2:2013; National Differences specified in the CB Test Report.

Additional information (if necessary)

Information complémentaire (si nécessaire)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2016-01-08

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE**CERTIFICAT D'ESSAI OC**

Product
Produit

Power Supply

Name and address of the applicant
Nom et adresse du demandeur

XP POWER L L C
15641 RED HILL A VE, SUITE 100, TUSTIN, CA 92780
USA

Name and address of the manufacturer
Nom et adresse du fabricant

XP POWER L L C
15641 RED HILL A VE, SUITE 100, TUSTIN, CA 92780
USA

Name and address of the factory
Nom et adresse de l'usine

Floor 1-4, Building 22, Enterprise Road,
Longsheng Industrial area, Longsheng community,
Dalang Street, Baoan District, Shenzhen City 518109,
P.R. China

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{ème} page

Additional Information on page 2

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

See Page 2

Trademark (if any)
Marque de fabrique (si elle existe)



Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais
constructeur

Model / Type Ref.
Ref. De type

HCP1000PSx, where x can be 12, 15, 24, 27 and 48. "x" denotes
output voltage.

Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,,
peuvent être indiqués sur la 2^{ème} page

Additional Information on page 2

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

1508021-6-CB issued on 2016-01-06

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2016-01-08

Signature:

Jan Erik Storgaard



Ref. Certif. No.

DK-51126-UL

Factories:

No. 33, Sec. 2, Renhe Rd., Daxi Township, Taoyuan County
33548 Taiwan

Building 120-121, Arising Sun Industrial City, No.11&13, Xinan Road, Lin Village, Tangxia Town, Dongguan
City, Guangdong Province,
China

Ratings:

Input Rating: 100-240 Vac, 50/60Hz, 12A

Output Rating:

Model	Output V	Output A
HCP1000PS12	12	62
HCP1000PS15	15	50
HCP1000PS24	24	40
HCP1000PS27	27	37
HCP1000PS48	48	21

Additional Information:

Additionally evaluated to EN 60950-1:2006/A11:2009/A1:2010/A12:2011/A2:2013; National Differences specified in the CB Test Report.

Additional information (if necessary)

Information complémentaire (si nécessaire)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2016-01-08

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE**CERTIFICAT D'ESSAI OC**

Product
Produit

Power Supply

Name and address of the applicant
Nom et adresse du demandeur

XP POWER L L C
15641 RED HILL A VE, SUITE 100, TUSTIN, CA 92780
USA

Name and address of the manufacturer
Nom et adresse du fabricant

XP POWER L L C
15641 RED HILL A VE, SUITE 100, TUSTIN, CA 92780
USA

Name and address of the factory
Nom et adresse de l'usine

Floor 1-4, Building 22, Enterprise Road,
Longsheng Industrial area, Longsheng community,
Dalang Street, Baoan District, Shenzhen City 518109,
P.R. China

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{ème} page

Additional Information on page 2

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

Input rated:
100-240Vac, 50/60Hz, 18A (for 1500W)
100-240Vac, 50/60Hz, 36A (for 3000W)
Output rated: See Test Report for Details

Trademark (if any)
Marque de fabrique (si elle existe)

XP



Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais
constructeur

HCP1500PSx, HCP3000PSx, See Page 2

Model / Type Ref.
Ref. De type

Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,,
peuvent être indiqués sur la 2^{ème} page

Additional Information on page 2

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

1508021-5-CB issued on 2016-01-06

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**




- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2016-01-08

Signature:


Jan-Erik Storgaard



Ref. Certif. No.

DK-51123-UL

Model Details:

HCP1500PSx, HCP3000PSx Where x can be 12, 15, 24, 27 or 48.

Factories:

No. 33, Sec. 2, Renhe Rd., Daxi Township, Taoyuan County 33548
Taiwan

Building 120-121, Arising Sun Industrial City, No.11&13, Xinan Road, Lin Village, Tangxia Town, Dongguan
City, Guangdong Province,
China

Additional Information:

Additionally evaluated to EN 60950-1:2006/A11:2009/A1:2010/A12:2011/A2:2013; National Differences specified in
the CB Test Report.

Additional information (if necessary)

Information complémentaire (si nécessaire)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2016-01-08

Signature:

Jan-Erik Storgaard