


IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product	Switching Power Supply for building-in
Name and address of the applicant	XP POWER LTD 401 COMMONWEALTH DR HAW PAR TECHNOCENTRE LOBBY B, #02-02 SINGAPORE 149598 SINGAPORE
Name and address of the manufacturer	XP POWER L L C 15641 RED HILL AVE, SUITE 100 TUSTIN CA 92780 UNITED STATES
Name and address of the factory <i>Note: When more than one factory, please report on page 2</i>	NO 78-1 ZHANGMA ST XIUSHUI TOWNSHIP CHANGHUA COUNTY504 TAIWAN <input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	Input: 100-240 Vac, 50/60 Hz, 3 A Output: See Model Differences in Test Report for Output Ratings details.
Trademark (if any)	
Type of Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	UCP180PSXX See Page 2
Additional information (if necessary may also be reported on page 2)	Additionally evaluated to EN 60950-1:2006/ A11:2009/ A1:2010/ A12:2011/ A2:2013; National Differences specified in the CB Test Report. <input type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60950-1:2005/AMD1:2009, IEC 60950-1:2005/AMD2:2013, IEC 60950-1:2005
As shown in the Test Report Ref. No. which forms part of this Certificate	E346017-A7-CB-1 issued on 2018-09-10

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2018-09-10

Signature:



Jan-Erik Storgaard

For full legal entity names see www.ul.com/ncbnames



Ref. Certif. No.

DK-76354-UL

Model Details:

UCP180PSXX (where XX can be any number 12, 15, 18, 24, 28, 36 or 48 designating the output voltage), may also be provided with additional suffix "-SF" or "-C" or "-T" or "-YYYYYY"; the hyphen is optional.

"-SF" denotes that unit is provided with only a single line fuse at live side.

"-C" denotes that unit is provided with option top cover.

"-T" denotes that unit is provided with screw type terminal.

"-YYYYYY" can be blank or any alphanumeric for marketing purposes only.

Factories:

XP POWER (KUNSHAN) LTD
230 BIN JIANG NAN RD ZHANGPU TOWN KUNSHAN JIANGSU 215300
CHINA

XP POWER (VIETNAM) CO LTD
LOT D - 4Q - CN MY PHUOC 3 INDUSTRIAL PARK BEN CAT DISTRICT BINH DUONG
VIETNAM

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-09-10

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Switching Power Supply for building-in

Name and address of the applicant

XP POWER LTD
401 COMMONWEALTH DR
HAW PAR TECHNOCENTRE LOBBY B,
#02-02 SINGAPORE 149598 SINGAPORE

Name and address of the manufacturer

XP POWER L L C
15641 RED HILL AVE, SUITE 100
TUSTIN CA 92780 UNITED STATES

Name and address of the factory

NO 78-1 ZHANGMA ST XIUSHUI TOWNSHIP
CHANGHUA COUNTY 504 TAIWAN

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

Input: 100-240 Vac; 50/60 Hz; 3 A

Output: See test report for ratings details.

Trademark (if any)



Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 1

Model / Type Ref.

UCP180PSXX
See Page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 62368-1:2014 / A11:2017; National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

E346017-A6006-CB-1 issued on 2018-09-12

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-09-12

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-76460-UL

Model Details:

UCP180PSXX (where XX can be any number 12, 15, 18, 24, 28, 36 or 48 designating the output voltage), may also be provided with additional suffix "-SF" or "-C" or "-T" or "-YYYYYY"; the hyphen is optional.

"-SF" denotes that unit is provided with only a single line fuse at live side.

"-C" denotes that unit is provided with option top cover.

"-T" denotes that unit is provided with screw type terminal.

"-YYYYYY" can be blank or any alphanumeric for marketing purposes only.

Factories:

XP POWER (KUNSHAN) LTD
230 BIN JIANG NAN RD
ZHANGPU TOWN
KUNSHAN
JIANGSU 215300 CHINA

XP POWER (VIETNAM) CO LTD
LOT D - 4Q - CN
MY PHUOC 3 INDUSTRIAL PARK
BEN CAT DISTRICT
BINH DUONG VIETNAM

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-09-12

Signature:

Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product

Power supply for building-in

Name and address of the applicant

XP POWER L L C
15641 RED HILL AVE, SUITE 100
TUSTIN CA 92780 UNITED STATES

Name and address of the manufacturer

XP POWER L L C
15641 RED HILL AVE, SUITE 100
TUSTIN CA 92780 UNITED STATES

Name and address of the factory

No 78-1 Zhangma St Xiushui Township Changhua County 504
TAIWAN

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

Input: 100-240 Vac, 3 A, 50/60 Hz
Output: See Test Report for details.

Trademark (if any)



Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model / Type Ref.

UCP180PSXX
See Page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 60950-1:2006/ A11:2009/ A1:2010/
A12:2011/ A2:2013; National Differences specified in the CB
Test Report. Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60601-1:2005/AMD1:2012, IEC 60601-1:2005

As shown in the Test Report Ref. No. which forms part of this Certificate

E321744-D1019-1/A0/C0-CB issued on 2018-11-20


This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2018-12-03

Signature:



Jolanta M. Wroblewska

For full legal entity names see www.ul.com/ncbnames



Ref. Certif. No.

US-32863-UL

Model Details:

UCP180PSXX (where XX can be any number 12, 15, 18, 24, 28, 36 or 48 designating the output voltage), may also be provided with additional suffix "-SF" or "-C" or "-T" or "-YYYYYY"

Factories:

XP POWER (KUNSHAN) LTD
230 BIN JIANG NAN RD ZHANGPU TOWN KUNSHAN, JIANGSU 215321
CHINA

XP POWER (VIETNAM) CO LTD
LOT D - 4Q - CN My Phuoc 3 Industrial Park Ben Cat District Binh Duong Binh Duong
VIETNAM

Additional Information:

Additional Suffix "-SF" denotes units provided with only a single line side fuse.
Additional Suffix "-YYYYYY" can be any digits or letters or blank for marketing purpose.
"-C" denotes that unit is provided with option top cover.
"-T" denotes that unit is provided with screw type terminal.
V3 - Units are provided with additional output (V3) to power an external fan.
All "-" considered optional.

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-12-03

Signature:

Jolanta M. Wroblewska