



Ref. Certif. No.

US-26141-M1-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Switching Power Supply

Name and address of the applicant

XP POWER L L C
15641 RED HILL AVE, SUITE 100
TUSTIN CA 92780
UNITED STATES

Name and address of the manufacturer

XP POWER L L C
15641 RED HILL AVE, SUITE 100
TUSTIN CA 92780
UNITED STATES

Name and address of the factory

CHANGZHOU WUJIN HONGGUANG RADIO CO LTD
NO 1 QINGYANG RD AND GUIYANG RD WUJIN CHANGZHOU
JIANGSU 213167 CHINA

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

See Page 2

Trademark (if any)

XP Power



Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

VCS50USXX
Where XX is 05, 12, 15, 24, 36, 48

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 60950-1:2006 / A11:2009 / A1:2010 / A12:2011 / A2:2013; National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1:2005/AMD1:2009, IEC 60950-1:2005/AMD2:2013, IEC 60950-1:2005

As shown in the Test Report Ref. No. which forms part of this Certificate

E317867-A26-CB-3 issued on 2018-12-20

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-01-03

Signature:

Original Issue Date: 2015-10-06

Jolanta M. Wroblewska



Ref. Certif. No.

US-26141-M1-UL

Ratings:

INPUT : 100-240V~1.1A 50/60Hz

For Model VCS50US05

OUTPUT: 5V dc 8.00A, 40 W

For Model VCS50US12

OUTPUT: 12V dc 4.20A, 50 W

For Model VCS50US15

OUTPUT: 15V dc 3.30A, 50 W

For Model VCS50US24

OUTPUT: 24V dc 2.10A, 50 W

For Model VCS50US36

OUTPUT: 36V dc 1.39A, 50 W

For Model VCS50US48

OUTPUT: 48V dc 1.05A, 50 W

Additional Information:

The original report was technically modified to update models and ratings sections, see test report.

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-01-03

Original Issue Date: 2015-10-06

Signature:

Jolanta M. Wroblewska