



FKSZ2.E332918

Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

[Page Bottom](#)

Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

[See General Information for Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component](#)**XP POWER LTD**

E332918

401 COMMONWEALTH DR
 HAW PAR TECHNOCENTRE
 LOBBY B, #02-02
 SINGAPORE, 149598 SINGAPORE

Component Driver for Light-emitting-diode Arrays, Modules and Controllers, Model(s) DLG100PS12XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG100PS24XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG100PS30XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG100PS36XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG100PS48XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG120PS48XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS12XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS24XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS30XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS36XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS42XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS48XYZ, where XYZ may be any character or number or blank for marketing purposes only.

LED Driver for Light-emitting-diode Arrays, Modules and Controllers, Suitable for Dry and Damp locations, Model(s) DLG120PS530-Ayzzz[3], DLG120PS350-Ayzzz[3], DLG150PS1500-Ayzzz[3], DLG150PS1400-, yzzz[3], DLG150PS1300-Ayzzz[3], DLG150PS1050-Ayzzz[3], DLG150PS700-Ayzzz[3], DLG150PS530-Ayzzz[3], DLG150PS350-Ayzzz[3]

LED Driver, Class 2 output, Model(s) DLE10PS230-AZZZ[1], DLE10PS250-AZZZ[1], DLE10PS350-AZZZ[1], DLE10PS500-AZZZ[1], DLE15PS12-VZZZ[1], DLE15PS1250-AZZZ[1], DLE15PS24-VZZZ[1], DLE15PS300-AZZZ[1], DLE15PS350-AZZZ[1], DLE15PS36-VZZZ[1], DLE15PS450-AZZZ[1], DLE15PS48-VZZZ[1], DLE15PS52-VZZZ[1], DLE15PS700-AZZZ[1]

LED drivers, isolated Class 2 output, Model(s) DLA50PS12-V, DLA50PS12-VL, DLA50PS18-VL, DLA50PS2100-A, DLA50PS2100-VL, DLA50PS24-V, DLA50PS24-VL, DLA50PS2770-A, DLA50PS2770-VL, DLA50PS3000-A, DLA50PS3000-VL, DLA50PS36-VL, DLA50PS48-VL, DLA75PS1400-A, DLA75PS2100-A, DLA75PS3750-A

LED Drivers, Isolated Limited Output, Model(s) DLG50PS350-Axyy[2], DLG70PS700-Axyy[2], DLG100PS1400-Axyy[2], DLG100PS700-Axyy[2], DLG100PS800-Axyy[2]

LED drivers, isolated non-Class 2 output, Model(s) DLA120PS0450-A, DLA120PS1050-A, DLA120PS1400-A, DLA120PS1750-A, DLA120PS2100-A, DLA120PS2450-A, DLA120PS2800-A, DLA120PS3150-A, DLA120PS350-A, DLA120PS3500-A, DLA120PS4200-A, DLA120PS4900-A, DLA120PS700-A, DLA150PS105-V, DLA150PS1050-A, DLA150PS12-V, DLA150PS1400-A, DLA150PS1750-A, DLA150PS2100-A, DLA150PS24-V, DLA150PS2450-A, DLA150PS2800-A, DLA150PS3150-A, DLA150PS3500-A, DLA150PS36-V, DLA150PS42-V, DLA150PS4200-A, DLA150PS48-V, DLA150PS4900-A, DLA150PS54-V, DLA150PS5950-A, DLA150PS700-A, DLA150PS81-V, DLA50PS1050-A, DLA50PS1190-A, DLA50PS1400-A, DLA50PS350-A, DLA50PS450-A, DLA50PS700-A, DLA75PS105-V, DLA75PS1050-A, DLA75PS12-V, DLA75PS24-V, DLA75PS350-A, DLA75PS36-V, DLA75PS42-V, DLA75PS450-A, DLA75PS48-V, DLA75PS5000-A, DLA75PS54-V, DLA75PS700-A, DLA75PS81-V

LED drivers, isolated non-Class 2 output LED drivers, isolated non-Class 2 output LED drivers, isolated non-Class 2 output LED drivers, isolated non-Class 2 output, Model(s) DLA75PS2800-A

Light-emitting-diode Arrays, Modules and Controllers, Model(s) DLG50PS12XYZ, DLG50PS24XYZ, DLG50PS36XYZ, DLG50PS48XYZ, DLG75PS12XYZ, DLG75PS24XYZ, DLG75PS30XYZ, DLG75PS36XYZ, DLG75PS48XYZ, DLG75PS54XYZ


@ - XYZ may be any character or number or blank for marketing purpose only

Note - All models may be followed by a dash "-" and four alphanumeric or blank.

[1] - Z may be A through Z, 0 through 9 or blank for marketing purpose only.

[2] - x = blank without dimmer ; x=D with dimmer / yy= any character or number or blank for marketing purpose only.

[3] - Y=D(dimming function) , R(adjustable function), T(timing function) or blank; Z=0-9,A-Z or blank.

Marking: Company name, model designation, and the Recognized Component Mark, 

Last Updated on 2013-08-15

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".



FKSZ2.E332918

Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

[Page Bottom](#)

Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

[See General Information for Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component](#)**XP POWER LTD**

E332918

401 COMMONWEALTH DR
 HAW PAR TECHNOCENTRE
 LOBBY B, #02-02
 SINGAPORE, 149598 SINGAPORE

Component Driver for Light-emitting-diode Arrays, Modules and Controllers, Model(s) DLG100PS12XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG100PS24XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG100PS30XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG100PS36XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG100PS48XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG120PS48XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS12XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS24XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS30XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS36XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS42XYZ, where XYZ may be any character or number or blank for marketing purposes only.

DLG150PS48XYZ, where XYZ may be any character or number or blank for marketing purposes only.

LED Driver for Light-emitting-diode Arrays, Modules and Controllers, Suitable for Dry and Damp locations, Model(s) DLG120PS530-Ayzzz[3], DLG120PS350-Ayzzz[3], DLG150PS1500-Ayzzz[3], DLG150PS1400-yyzz[3], DLG150PS1300-Ayzzz[3], DLG150PS1050-Ayzzz[3], DLG150PS700-Ayzzz[3], DLG150PS530-Ayzzz[3], DLG150PS350-Ayzzz[3]

LED Driver, Class 2 output, Model(s) DLE10PS230-AZZZ[1], DLE10PS250-AZZZ[1], DLE10PS350-AZZZ[1], DLE10PS500-AZZZ[1], DLE15PS12-VZZZ[1], DLE15PS1250-AZZZ[1], DLE15PS24-VZZZ[1], DLE15PS300-AZZZ[1], DLE15PS350-AZZZ[1], DLE15PS36-VZZZ[1], DLE15PS450-AZZZ[1], DLE15PS48-VZZZ[1], DLE15PS52-VZZZ[1], DLE15PS700-AZZZ[1]

LED drivers, isolated Class 2 output, Model(s) DLA50PS12-V, DLA50PS12-VL, DLA50PS18-VL, DLA50PS2100-A, DLA50PS2100-VL, DLA50PS24-V, DLA50PS24-VL, DLA50PS2770-A, DLA50PS2770-VL, DLA50PS3000-A, DLA50PS3000-VL, DLA50PS36-VL, DLA50PS48-VL, DLA75PS1400-A, DLA75PS2100-A, DLA75PS3750-A

LED Drivers, Isolated Limited Output, Model(s) DLG50PS350-Axyy[2], DLG70PS700-Axyy[2], DLG100PS1400-Axyy[2], DLG100PS700-Axyy[2], DLG100PS800-Axyy[2]

LED drivers, isolated non-Class 2 output, Model(s) DLA120PS0450-A, DLA120PS1050-A, DLA120PS1400-A, DLA120PS1750-A, DLA120PS2100-A, DLA120PS2450-A, DLA120PS2800-A, DLA120PS3150-A, DLA120PS350-A, DLA120PS3500-A, DLA120PS4200-A, DLA120PS4900-A, DLA120PS700-A, DLA150PS105-V, DLA150PS1050-A, DLA150PS12-V, DLA150PS1400-A, DLA150PS1750-A, DLA150PS2100-A, DLA150PS24-V, DLA150PS2450-A, DLA150PS2800-A, DLA150PS3150-A, DLA150PS3500-A, DLA150PS36-V, DLA150PS42-V, DLA150PS4200-A, DLA150PS48-V, DLA150PS4900-A, DLA150PS54-V, DLA150PS5950-A, DLA150PS700-A, DLA150PS81-V, DLA50PS1050-A, DLA50PS1190-A, DLA50PS1400-A, DLA50PS350-A, DLA50PS450-A, DLA50PS700-A, DLA75PS105-V, DLA75PS1050-A, DLA75PS12-V, DLA75PS24-V, DLA75PS350-A, DLA75PS36-V, DLA75PS42-V, DLA75PS450-A, DLA75PS48-V, DLA75PS5000-A, DLA75PS54-V, DLA75PS700-A, DLA75PS81-V

LED drivers, isolated non-Class 2 output LED drivers, isolated non-Class 2 output LED drivers, isolated non-Class 2 output LED drivers, isolated non-Class 2 output, Model(s) DLA75PS2800-A

Light-emitting-diode Arrays, Modules and Controllers, Model(s) DLG50PS12XYZ, DLG50PS24XYZ, DLG50PS36XYZ, DLG50PS48XYZ, DLG75PS12XYZ, DLG75PS24XYZ, DLG75PS30XYZ, DLG75PS36XYZ, DLG75PS48XYZ, DLG75PS54XYZ


@ - XYZ may be any character or number or blank for marketing purpose only

Note - All models may be followed by a dash "-" and four alphanumeric or blank.

[1] - Z may be A through Z, 0 through 9 or blank for marketing purpose only.

[2] - x = blank without dimmer ; x=D with dimmer / yy= any character or number or blank for marketing purpose only.

[3] - Y=D(dimming function) , R(adjustable function), T(timing function) or blank; Z=0-9,A-Z or blank.

Marking: Company name, model designation, and the Recognized Component Mark, 

Last Updated on 2013-08-15

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".